

SENSORY PROCESSING RESOURCE PACK: FOR SCHOOLS KEYSTAGE 1- 4

Supporting Children with Sensory Processing
Differences in School Settings



Version 1 – Jan 2014

Version 2 – March 2014

Version 3 – April 2014

Version 4 – September 2015

Table of Contents

Who is this resource pack for?.....	3
What is the purpose of the resource pack?	3
Who has been involved in its development?	3
How to use this guide	3
What is sensory processing?	4
Emotional, social and behavioural responses	6
Relationship between sensory processing, behaviour and rigidity?	7
Are sensory issues causing the behaviour?	8
Explanatory Notes	9
Working out which sensory system is involved and how to help	10
Tactile (touch) System.....	12
Supporting strategies.....	14
Taste And Smell.....	15
Visual System	17
Auditory (Sound)	20
Proprioception and Vestibular (Movement Systems)	24
Proprioception	24
Vestibular	26
Jargon buster page.....	36
Further Support and Advice	37
Training.....	41
Additional Resources.....	42
Books	42
Organisations/Websites	42
References.....	43
Authors.....	44

Who is this resource pack for?

For Teachers and Support Workers who work with families who may have children showing signs of sensory processing differences which affect their academic learning, peer relationships, mental health and emotional and physical wellbeing in schools.

What is the purpose of the resource pack?

This resource pack will assist with the identification of possible difficulties and support the implementation of strategies.

Who has been involved in its development?

This resource pack is the result of collaboration between Leicestershire Partnership NHS Trust, Leicestershire County Council, Leicester City Council, Rutland County Council and Parent representatives.

The strategies included in this pack should not be used to isolate the young person, most of the strategies can be implemented as 'whole school' strategies which will help the school become a 'sensory friendly' environment. Some of the strategies will be more specific to the young person using a supportive inclusion programme. You may also need to seek support from external specialist services such as Specialist Teaching Services or Occupational Therapy.

Your school may be implementing 'commercially available programmes such as sensory circuits, How does your engine run, Tools for Teachers, Tools for Teens. It is important to remember that the International Coalition for Education in Sensory Integration (ICE-SI) recommends that these programmes are carried out under the support of an Accredited Sensory Integration Trained Occupational Therapist, Physiotherapist or Speech and Language Therapist.

How to use this guide

There are many techniques and activities that teachers and parents can use to aid the child with sensory processing differences to improve general overall functioning. Use this guide to consider what behaviour or difficulty is being observed. Why this may be happening and look up strategies framework that may help support the child. Contacts and how to refer to other services if difficulties continue are provided on page 38.



What is sensory processing?

Sensory processing refers to how we use the information received by all of the senses within our body and from our environments. All of the information is integrated to give us an understanding of who we are, where we are and what is happening around us. When our senses are integrated correctly we are able to respond appropriately to the sensation. For example we will take off the itchy woollen jumper or we may take a deep breath to smell the flowers.

What happens when a young person experiences sensory processing differently?


A young person with possible sensory processing disorders may have difficulty in figuring out what is happening inside and outside of their bodies. The sensory information their body is registering may not be accurate. Imagine how it might feel in the classroom when...the pictures on the wall repeatedly grab your attention as their brain doesn't register that this has been seen before. The noise of the school bell is like someone screaming in your ear. When standing in the queue at lunchtime makes you on 'high alert' just in case someone brushes past you as this is painful. Getting dressed for P.E. is very difficult as you cannot balance, and don't know where your hands are to put your jumper on when you can't see your hands. Your body doesn't provide adequate information as to where your arms and legs are so you need to move constantly to get that extra feedback. This is difficult in the class when you are supposed to sit still and write. There seems to be some faulty wiring somewhere, most people get used to

their own sensory preferences and make choices about their daily activities appropriate to them. Some people can't bear the touch of cotton wool. Some prefer quieter restaurants; some crave rollercoasters and theme parks. However, children tend to go with their instincts and may struggle to communicate how they feel, they may be disorganised in a world they can't quite make sense of.

These children need support from those around them to learn strategies and consider their needs to make life just that little bit easier.

Our senses are the building blocks for all other skills we learn and use in life:

Everything we do relies on our central nervous system (our brain and spinal cord and nerves). Then we get all our information from our senses and their individual systems. These senses provide our brain with all the information it needs to grow, learn and develop all of our actions, skills and preferences. Here is one way of understanding how important our senses are as they are the foundation for daily life.



Adapted from Williams and Shellenberger (1994).

There are seven senses explained in this resource pack, Tactile, Taste, Smell, Vision, Auditory, Proprioception and Vestibular.

Each sense has its own section which is divided into:

- A description of the sensory system.
- What happens when a young person experiences this differently?
- Supporting strategies.

Research shows that 20 % of the school age population have sensory processing difficulties that impact on their ability to do every day activities. You don't have to have a diagnosis of cerebral palsy, ADHD, or Autism to have sensory processing difficulties although they are more recognised with these diagnoses. Often we see bright children not achieving because they are struggling with sensory processing and then they can get labelled as 'bad'.

Emotional, social and behavioural responses

Children who have difficulty regulating their sensory systems often show signs of difficulty regulating their emotions. This can be seen in temper tantrums, crying easily, unable to read signs of others, snapping for no apparent reason, hurt easily. Increased/decreased fear/anxiety. This is because the limbic system in the brain is responsible for learning, memory, eating and drinking behaviours, aggression sexual behaviour motivation and expression of emotion. Its purpose is to integrate and co-ordinate out inner and outer world. Its links with all other sensory systems.

It is important to be aware that children with sensory processing differences are likely to show emotional differences too.


When faced with perceived threatening sensory stimuli, it is likely to evoke the flight or fight response too. Imagine if you dislike the touch of chalk so much that it evokes a gag reflex. You would want to avoid it; when you next come across chalk, you would become anxious with all the physical responses, varied heartbeat, sweating etc. This may be how some of your young people feel.

Other indicators of sensory difficulties are the social, emotional and behavioural responses to sensory stimuli, which may include;

- Temper tantrums
- No sense of humour
- Cries easily
- Can't express emotions
- Uncooperative

- Anxious
- Poor self-confidence and self esteem
- Immaturity
- Avoids eye contact
- Overly affectionate
- Can't read body language
- Frustration
- Difficulty coping with changes in routine

Relationship between sensory processing, behaviour and rigidity?



Are sensory issues causing the behaviour?

Making **SENSE** of the situation

Using this very simple strategy to help understand and address any challenging movement, when the question comes into your mind? Is it sensory or behaviour?
How can I help my student?

- S** Stop assess situation behaviour happens for a reason
- E** Environment change? What can I change, add or omit?
- N** Note students' response to the change
- S** Sensory strategies and tools, use the resources and ideas available in this pack.
- E** Embrace the positive and learn from the experience.

(VOSS, 2011)

Explanatory Notes

1. Observe how the child responds in different environments within the school or within different spaces within the classroom, at different times. What has happened just before. Is this always the case or was the event unusual.
2. What are the identified areas of difficulty?
3. What sensory experiences does the child appear to react to, can you work this out?
4. Which systems are thought to be affected:
 - Tactile (touch)
 - Visual (sight)
 - Audiology (hearing)
 - Olfactory (smell)
 - Gustatory (taste)
 - Proprioception (body awareness)
 - Vestibular (movement sense)
5. Consider what changes can be tied to the environment or strategies implemented.

For example:

Distractions

Sound levels

Is the Lighting – too - light/dim

Does it make a difference if position of table and chairs in class is changed

Can the menu be changed?

- Opportunity to try new foods
- Can food be used to help alertness level

Can Friendships offer support?

- Supervision – level required

- Instructions – are these clear, concise, brief
- Modelling – is modelling appropriate

Breaks – are they sufficient?

- Can more be included in class e.g. Getting pencils, handing out books
- Is crowding an issue, can child leave class earlier or last

Working out which sensory system is involved and how to help

Below is an example of how the Framework can be used.

Framework table

1. Child is observed to become upset at assembly time, hits and annoys other children							
2. Sitting still in assembly time in own space							
<p>3. Does child dislike clapping or loud noise in assembly?</p> <p>Does child become startled at sudden noises?</p>	<p>Are there strange smells in room, smells from kitchen as dinner is prepared, smell of odour after PE</p>	<p>Does child fidget on floor, annoy child next to them, avoid sitting on hard assembly floor?</p> <p>Is temperature in room too hot/cold?</p>	<p>Does milk time follow assembly or have tastes s/he doesn't like?</p>	<p>Does child dislike bright lights, lights too dim is there lots of distractions?</p> <p>Is room confusing?</p>	<p>Is child fearful of assembly time, due to past experiences?</p> <p>Is child anxious doesn't know what to expect.</p>	<p>Is child uncomfortable on floor, unable to control 'posture'?</p> <p>Is seating to spaced/closed?</p>	<p>Does child find it difficult to sit still?</p> <p>Seeking movement spinning on floor.</p>
<p>4. Auditory</p> 	<p>Olfactory</p> 	<p>Touch</p> 	<p>Taste</p> 	<p>Visual</p> 	<p>Emotional</p> 	<p>Proprioception</p> 	<p>Vestibular</p> 
<p>5. Prepare child when clapping coming, or music. Discuss background noises and what they are.</p>	<p>Have handkerchief tissue with smell child likes.</p>	<p>Sit on own cushion or chair.</p>	<p>Discuss changing times or varying food/drink type to suit.</p>	<p>Can the lighting be changed?</p>	<p>Prepare the child and discuss and acknowledge their anxieties and provide reassurance.</p>	<p>Can seating be changed?</p>	<p>Allow movement breaks before and after.</p>



Tactile (touch) System

The Tactile system has two functions, one for protection and one for added detail, development of precision skills.

Protective

Our skin has receptors within it that respond to pain, temperature and light touch. This alerts us to potential threats and allows us to react appropriately. The information is interpreted and our brain then decides as to how we should act.

Discriminative

Our skin is our largest most sensitive organ; it has different receptors that give more detail about what the skin is feeling. This also responds to pressure applied to the skin. Through touch we gain information about where and how our bodies are positioned. We get information about objects and our environment and to develop refined fine motor skills.

With smoothly operating **protective and discriminative** touch a young person will be comfortable and willing to interact with objects and people and will be in a perfectly alert, yet calm state to learn.

What happens when a young person experiences touch differently?

One of the most common sensory difficulties is being **overly sensitive to touch**. These young people may show the following behaviours in school:

- Avoidance of messy activities such as art and cookery and becomes distressed if pushed to do it
- Dislikes being in bare foot for PE.
- Avoid eating with their fingers.
- Dislikes physical touching, especially light touch or brushing past in queue and will become upset.
- Always fiddling or feeling things around them.
- Dislikes crowds.
- Dislikes certain texture of clothes.
- May dislike certain foods due to texture.
- May dislike brushing teeth or hair, having haircuts.
- Responds with alarm when face/body is washed.
- Avoids walking/crawling on surfaces such as rugs or grass.
- Particular about wearing certain uniform, dislike long/short sleeves, won't wear jumper.
- May have poor social relationships due to dislike of touch.
- If touch perceived as a threat they may act with physical or verbal aggression or avoid situations.
- May avoid putting hands in sand, finger paint, glue, baking, textiles and other "messy" activities.
- Overreacts when falls over in playground.
- Tired at school as not sleeping – may be due to dislike of touch of blanket, quiet.

On the other hand a young person may be more **under sensitive to touch** than usual. In the classroom you may see the following:

- Has messy face and hands and doesn't seem to notice.
- Doesn't know when they are being touched, bumped.
- Leaves clothing twisted on their bodies and don't seem to notice.
- Difficulties manipulating pencils, scissors etc.
- Does not react to painful experiences.
- Difficulty manipulating tools and objects.
- Craves touch, may touch constantly or indiscriminately.
- Regular bumps into doors, tables chairs.



Supporting strategies

A young person who is **overly sensitive** to touch may prefer:

- To stand at the end or beginning of queue at lunchtime. This will decrease the chance of bumps.
- Peg at the end of cloakroom rack, or drawer at the end of cupboard.
- Arranged seating to minimise the risk of being bumped by classmates
- Modifications to the art activity to accommodate their sensitivity to touch. Be aware that materials such as glue, finger paints, clay, papier-mâché, etc., may cause the young person to have an aversive response. Using tools (i.e. hammer, paint brush, etc.) may help the young person participate more fully.
- To use some of the heavy work activities (see proprioception section). This can help to reduce the anxiety and impact around tactile experiences.
- Avoid light touch, use firm pressure when touching the young person and always approach from the front.
- To use 'fidget' toys, permit them to use one object. Set boundaries for them using it and ensure that this is not negatively impacting on their attention to task. E.g. when standing in the line after break before lesson begins, during listening time.

A young person who is **under sensitive** to touch may benefit from:

- A variety of touch activities – massage, exploring objectives with hands
- Contrasting tactile experiences within learning – ie sandpaper letters/drawing in shaving foam
- Fidget toys – probably more textures and firmer.



Taste And Smell

Smell travels directly to the centre in our brain that controls our emotions, memory and learning. Smell is closely linked to our sense of taste, think about how bland food tastes when we have a cold for example.

Our brains are wired so that we are able to respond appropriately to tastes and smells. A bad smell for example doesn't go away our brains just stop noticing it; otherwise we would be totally distracted by it. If we smell burning we know to act on this appropriately.

What happens when a young person experiences taste and smell differently?

Again there are two different kinds of difficulties that may occur, the first being an **over sensitivity** to smells and tastes and the second an **under sensitivity** to taste and smell. The latter of the two is less common.

Overly sensitive, these young people may show the following behaviours in school:

- Avoids food most young people their age enjoy.
- Crave or get upset by certain tastes and/or smells and don't appear to get used to the smell.

- Is distracted by a smell in the room and can't refocus on the lesson.
- Becomes nauseated or gags at smells others are only mildly affected by.
- Dislikes lunchtimes and smell of lunchtime hall.
- Dislikes teeth brushing.
- Gags at certain smells, foods

Under sensitive, these young people may show the following behaviours in school:

- Craves strong flavoured food e.g. chillies, lemons, curries.
- Packs food into mouth before swallowing.
- Eats food very quickly.

Supporting strategies

- Try redirecting the young person to carry out some of the heavy work activities to distract them and also calm their overly alert sensory systems down. It can be helpful if the school has 2 lunch sittings to allow the young person free time first.
- Allow them to have their favourite scent or an object that they like the smell of to block out the 'offensive' smell.
- Remember we all have food preferences, some food types we just don't like!!! And that is ok.
- If craving strong foods, let them eat spicy and sour foods, it may be important to help them regulate. Add spices for strong flavour to food.
- Offer taste preferences during snacks and challenging times, e.g. studying for test, homework, chewy foods help regulate. Involve in food as much as possible, not around mealtimes so there is no pressure.
- Have cold food first.
- Have crunchy foods with soft food.

A young person's Dietician or Speech and Language Therapist may also be able to help provide further advice. (Refer to Further Support Section).

If there are concerns about nutrition and weight, e.g. losing weight, refer to dietician. If there are concerns about food and drink going down the wrong way, coughing at mealtimes or difficulty chewing that limits the range of textures they eat consider reference to SLT.



Visual System

Before considering visual sensory systems it is important to check with parents if the child has had a recent eye sight test at opticians or hospital.

There are two aspects of our visual systems the first is our **eye movements** and the second **visual processing**.

Eye movements

The movements of our eyes are controlled by muscles, these allow us to follow a moving object with our eyes, fix on an object, scan a page of writing and focus our eyes on one object and then move to another and re-focus quickly. Smooth eye movements allow us to track, fix and scan effectively.

Visual processing

Visual processing is the brain selecting and responding appropriately to visual input. This allows us to process what we see, when we can visually process we are able to concentrate on what we are looking at and not be distracted by other visual stimuli, e.g. pick out picture on the wall amongst several or find a pair of socks in the drawer. This is dependent on the messages getting to the brain to process.



What happens when a young person experiences this differently?

If difficulties with **Eye movements** exist you may see the following difficulties in school:

- Eye contact is limited as they struggle to maintain focus.
- Use of fingers when reading to keep their place even when not age appropriate.
- Repeatedly losing their place when copying from the board.
- They may struggle to judge distances so bump in to the furniture in the class room.

If difficulties exist with **visual processing** you may see the following difficulties in the classroom:

- They struggle to cease noticing the pictures or the people in the room.
- They may cover their eyes when the florescent lights are switched on.
- Complains of headaches, rubbing eyes or squinting.

Supporting strategies

General advice for all children.

Young person with difficulty co-ordinating their eye movements.....

- Young person can sit at the front of the class so they are not distracted by other young person when looking at the board.
- Provide a written sheet on the desk to copy from rather than copying from the board.
- Use large print books/work sheets.
- Use a finger or ruler to mark where reading.
- Use a typo scope when reading (cut out a window in a piece of card and show only what is needed to be read).
- Photocopying work onto cream paper can also help.
- Use an angled writing surface to reduce the distance the eyes have to travel from the board to the paper.

Young persons who have difficulty processing the visual information.....

- Keep visual (i.e. art projects on the wall, bulletin boards, hanging projects) and auditory distractions to a minimum to help facilitate the young person's attention to classroom instructions. Have the young person sit near the classroom teacher to facilitate the young person's ability to attend to directions and tasks.
- Use different colours for different lines on the whiteboard.

- Building up the sides of a desk with cardboard to block out distracting stimuli can help however please consider the school environment and the sensitivity of the young person.
- Avoid clutter around the whiteboard.
- Allow ? is affected by? lights flickering.

Primary school strategies

Primary aged children

- Encourage a child to make shapes using difference materials i.e. Finger paint, play dough, sand, clay, shaving foam
- Have children follow mazes, on paper or any other way you can think of. Dot to dot is also very useful.
- Make designs and repeating patterns getting increasingly more challenging.
- Practice cutting along straight and curved lines.
- Lie on back and track birds or clouds with the eyes without moving the head. Some Brain gym exercises are good for this.

Secondary age children

- Adapt technology or art lessons to use cutting and drawing skills, i.e. drawing and cutting patterns or templates. Over learning of these techniques needs to be delivered little and often, and alternative aids may need to be used to ensure a successful outcome of the lesson.
- Colour co-ordinate timetables.



Auditory (Sound)

If there are concerns in this area a hearing test should always be undertaken to rule out any other medical difficulties.

Auditory processing refers to how the brain recognises and makes sense of sounds. Sounds consist of loudness, pitch, how long it lasts for and where it is coming from. We automatically put all of this information together and respond appropriately to it.

We can usually cut out unwanted noise so we can concentrate on the noise we need to do the task we want to.

What happens when a young person experiences this differently?

There are potentially two types of auditory processing difficulties the first is an **over sensitivity** to sounds and the second is an **under responsiveness** to sounds.

For young people who have auditory processing difficulties noise can be painful if over sensitive or they do not register noise if under sensitive.

If difficulties exist with **over sensitivities** you may see the following behaviours in the classroom:

- Puts hands over their ear when the noise levels rise in the class or the bell rings.

- Over react to sounds that others barely notice
- Can't stop noticing the noise of the fan in the back of the classroom, so can't attend to another task, for example buzzing lights.
- Difficulty focussing on foreground sounds and blocking out extra background sounds.
- May appear inattentive.
- May need to make a lot of effort to concentrate.
- Short attention span.
- Behaves erratically when changing classrooms.

If difficulties exist with **under responsiveness** you may see the following behaviours in the classroom:

- The young person speaks in a loud voice to increase noise and alert level or drown out other noise.
- May hum to themselves, to increase noise and alert level or drown out other noise.*
- Seem to ignore you when you call their name even though you know they have heard.
- Difficulty pronouncing words.
- Difficulty using prepositions.
- Trouble hearing in groups.
- Difficulty remembering and sequencing multi-step directions.
- May appear inattentive
- Short attention span.
- Difficulty sequencing verbal directions.

**Please note that these behaviours may also be seen in young persons who are over sensitive to sounds as they are struggling to screen out surplus noise in order to attend to your voice or they may hum as a way to block out other unexpected sounds.*



Supporting strategies

Over sensitivities.....

- Respect their sensitivities it does really hurt!
- Try to forewarn the young person of any loud noises before they occur (i.e. bells/fire alarms).
- To minimize auditory distractions, a classroom with a rug or carpet would help decrease background noises.
- Allow them to wear ear defenders or ear plugs when there is expected to excess noise in the room.
- Acknowledge existing noises, tell them what it is and then bring back.
- Allow extra time or to leave before/after crowded change over time.
- Appropriate use of mp3 player, iPhone plugs with music can help aid concentration on task.

Under sensitive.....

- Only speak to the young person when they are facing you and looking at you.
- Use straight forward short sentences.
- Speak loudly and clearly to these young persons at all times.
- Start with one instruction and increase as the young person is able to retain more information.
- Ask the young person to repeat the instruction to you.
- Wait for the young person to process the information and respond, which may take them longer.
- Reduce extraneous noise OR wait until it has gone before giving instructions. (Do not expect a young person with these difficulties to concentrate when there is a lot of noise going on outside the classroom).
- Give written instructions, prompt sheets, as well as verbal ones.
- Repeat sentence with same words – do not paraphrase.
- Ask child to repeat back to check understanding
- Model good speech. - Even if child has trouble responding they may have understood what you said.
- Allow a child to respond where possible in their own time. - Don't interrupt, rush or pressurise the child.
- Use rhythm and beat. - Use rhythm to help memory by substituting own words to a familiar tune.
- Encourage the use of drama. - This can be used to reinforce auditory processing.
- Get child's attention before talking. - Use a physical prompt such as patting a hand to ensure their full attention.
- Reduce auditory and visual distractions. -These compete for a child's attention. Other conversation and movement are the worst.

If you have concerns about understanding instructions after putting strategies in place consider referral to SLT. Refer to guidelines (Meeting Individual Needs: Speech, Language and Communication Needs: a Good Practice Guide. (Leicester City and Community Health Service) Section 5.1 and 5.2.).



Proprioception and Vestibular (Movement Systems)

A young person learns movement through development of the **proprioceptive and vestibular system**. Integration of these systems enables a young person to develop a sense of body awareness, balance and motor control that allow them to freely move. Each system is described below.

Proprioception

Proprioception is 'How the body senses itself', our body awareness. This is our subconscious sense that tells us where our arms and legs are in space without us having to look at them. This information is being passed on from our muscle and joints to our spinal cord and to our brains even when we are still. This ensures that we can be upright and not slipping off our chair, it also provides us with an internal map of our bodies. It is also the sense that helps us to grade the force we place through objects and impacts on the resting tone of our muscles. Proprioception is thought to be able to calm and override other systems therefore use of proprioceptor activities is always beneficial.



So what happens when a young person experiences proprioception differently?

The common difficulties with the processing of proprioceptive information appear to be a lack of sufficient information. This can cause young person to go looking

for information often termed 'sensory seeking'. If difficulties exist you may see the following behaviours in the classroom:

- Fidgeting in their seat in an attempt to gain more information from the muscles and joints as to the position of their body parts.
- Heavy handed, struggling to grade the force they place through a pencil, or when playing with toys.
- Struggles with P.E. in particular apparatus and ball games.
- Looking at their hands when writing or when using a mouse on a computer.
- Looking at their feet when trying to ride a bike or climb up the apparatus.
- Chews hard on their pen or sleeve.
- Bangs into other young person but isn't an aggressively natured child.
- Children who do not sit still should not always be considered as having behaviour difficulties.
- Difficulty sitting on carpet.

Supportive Strategies

- Allow the child to wear a back pack with a few books in during times of transition or when sitting may help to keep them calm.
- Prior to handwriting have the child do some warm ups including....pressing palms together, pulling each fingertip, press the palms on to the desk, chair push ups with hands flat on the seat pushing their body up.
- The child uses a lap weight/shoulder (such as a wheat pack)
- Use a 'move n sit' cushion to sit on to give them additional feedback.
- Use bean bags for down time, rest rooms.

Heavy Work Activities

These can be used during 'movement breaks' or incorporated into P.E. sessions. Activities that require movements that are forward and backwards are calming rather than those that are in circles. Space hoppers, trampoline. Pushing and pulling games, pushing up on hands on chair prior to handwriting, pressing feet hard into floor when sitting, and pushing palms together.

Pushing trolleys e.g. meal, lunchtimes, helping set-up PE equipment, carrying bags of basketballs, moving goalposts are other ideas for heavy work.

Movement / Learning breaks

Have these scheduled into their timetable at times when they usually need to be on the move rather than waiting for them to begin moving. You are trying to pre-empt it so that their body is getting the movement it needs in a more functional and structured way. They will hopefully not need to fidget as much if these activities are done regularly during the day. Try a combination of these for 5 - 10 minutes directly before you want them to focus their attention well.



- Getting up to hand out books/pencils
- Taking register to reception
- Moving workstations (not always sitting in the same place)
- Moving between classes in secondary school acts as movement break, but be aware of if sensitive to being bumped and knocked. A young person may need it more often, tasks, responsibilities in the classroom may help.
- Use of move 'n sit cushion provides movement and also periods of focus

Vestibular

How the body handles movement is down to our vestibular systems. They are located in our inner ears.

The vestibular sense is possibly the most fundamental of all our senses it gives us physical and emotional security when moving in space as our bodies automatically adjust to stop us from falling.



This sense helps to keep us upright against gravity it is stimulated when we move or change our head position it enables us to keep orientated when we bending over to pick up a school bag, ride in the car, walk around the nursery. More subtle vestibular activities include maintaining a seated posture and paying attention.

Our vestibular system reduces confusion about conflicting visual information, such as when a young person hangs upside down the vestibular sense confirms for the young person that they their worlds haven't just turned upside down. This sense also enables us to stabilise our visual field so when for example we throw a ball at target we can run whilst looking at the target.

The information from the vestibular senses also passes through an area of the brain that impact on our attention and arousal levels (sleep/wake cycles). Consider how you handle a baby; to wake them up and get them excited you bounce them on your knee to get them to sleep you rock them back and forth. Consider how your young people react in class after an outside PE session.

What happens when a young person experiences vestibular movement differently?

When vestibular information reaches the brain, the brain then decides what to do with it, initially our protective reactions are stimulated do we 'not do it', 'go for it' or do we 'precede with caution'. The situation will be assessed to establish if there is any threat or danger and will then act accordingly. However, a young person with a poorly functioning vestibular system will often not act in accordance with what the activity would provoke. A young person may have an overly sensitive vestibular system which leads them to having exaggerated emotional responses to movements against gravity way out of proportion to the actual potential threat. Some young person conversely may experience an under responsiveness to movement and indeed seek out as much movement as they can.

Please note:

- *A poor sense of danger can be linked to lot of different factors and is not only sensory based.*
- *Young people with vestibular difficulties can feel sick and dizzy very easily, or not realise when they have reached their tolerance level and vomit or experience headaches. Care should be taken when working with these young people and you should stop the activities and seek support from an Occupational Therapist with post graduate training in Sensory Integration Therapy if your young person shows these signs.*

If difficulties exist with **over sensitivity** you may see the following behaviours in school:

Avoids apparatus or fast moving playground equipment

- Hesitates of avoid walking downstairs
- Gets dizzy very easily
- Gets car sick on trips
- Dislike of carnival rides.
- Dislikes fit trails, apparatus, trampoline.
- Fearful of jump up and down stairs, rolling in a barrel, climbing, leaning backwards, somersaults and swinging, P E apparatus.

- They may try to control and manipulate events to avoid stressful sensations which may appear to others as obstinate and uncooperative behaviour.
- They often seek physical support from an adult.

If difficulties exist with **under responsiveness** you may see the following behaviours in school:

- Moving in their seats or getting out of their seats but not necessarily in an organised manner
- Poor sitting posture so appearing to slump over their desk most of time
- Some young person may have low muscle tone so doing P.E. activities is challenging with poor balance skills.
- Does not enjoy or do well in sports.
- Often stumbles and falls.
- Difficulty co-ordinating both sides of the body, lacks hand dominance, does not cross midline.
- Confusion of right and left.
- Delay in AOT vestibular speech, reading, writing and visual perception.
- Love of fast and moving equipment – without becoming dizzy.
- Inability to follow a moving object, draw a line, read a line of print of copy from blackboard.
- Trouble holding head up while sitting.
- Delayed balance and equilibrium reactions.

Supporting strategies

Over sensitive to vestibular movement

It is essential that the young person is in control of the amount of challenging movement experiences they will engage in. The young person should never be pushed past his or her limit. Be aware of sensory strategies you can use to make the young person feel calm, safe and secure (Heavy work). These are useful to prepare the young person for challenging work against gravity and to comfort and calm them if they feel unsure or unhappy with certain movement activities.

- Use a firm, supportive seat that will not tip, to help the young person feel stable and secure whilst at their desk. Make sure their feet can stay flat on the ground.
- Use your hands to help the young person develop his awareness of his body position. Always use firm 'grounding' touch and concentrate on the joints of the body. This will also help to focus the young person's attention on an activity.

- The young person may become distressed or anxious with changing positions in the classroom e.g. getting down onto the floor, onto a chair etc. Use visual markers so the young person has a clear aim of where to go e.g. put their favourite cushion on the floor so they can aim to be sitting on top of it.
- Break down activities into their most basic parts. For example, it might be more successful to practise sitting on a chair than getting right down to the ground at first. If the young person is able to model your behaviour, show them what to do.
- Think about what position the young person likes to be in during different activities in the classroom. Let the young person maintain the position they are happy and secure in (e.g. cross-legged on the floor). As their confidence develops, support the young person in different, more challenging positions (e.g. flat on their tummy, on a therapy ball) and work towards them maintaining these positions independently.
- Use every opportunity to reinforce the young person's proprioception / body awareness. This doesn't always have to be done by another person. Trial using a backpack weighted with books or simple pushing / pulling games which facilitate traction and increased sensory feedback.

Primary P.E. Strategies

- Limit the number of young people and space to increase sense of security. Allow the young person to increase their ability to work on moveable or suspended equipment at their own pace. The idea is to grade your approach very gently and allow the young person to lead exploration of the activities. Start with line on the floor to balance on, raise height as young person becomes more confident.
- Consider starting off by using mats, soft play wedges and textured materials (bubble wrap, fur, car mats etc.) to create uneven surfaces for the young person to negotiate around.
- When the young person is ready, move onto equipment such as smaller therapy balls, rolls, large wedges etc., balance beams, steps, boxes, apparatus
- Eventually the young person may be able to access more challenging equipment such as climbing frames, swings, benches etc.



Under Responsive to movement or sensory seeking behaviour

Primary school classroom

- Using a 'defined' spot for them e.g. carpet square, sequencing spot during carpet time or assembly.
- A regular change of position can help them to maintain their attention e.g. Lying on tummy, sitting on the floor, sitting on a chair during circle time, kneeling.
- Work with in success; if they can stay in circle well for 20 seconds, use this as your baselines and increase your time from this point.
- Try a short walk around the circle and then try sitting again.
- Have a box of fine motor activities that they are allowed to go to during transitions between lessons or classroom activities. E.g. puzzles, threading, peg boards, pencil tasks.
- Taking regular short breaks to walk around classroom, to carry out a chore.
- Provide as many opportunities as possible for active work during the day e.g. instead of sitting to do Math have him do the problem on the board.
- Provide a solid seat with armrests of the correct height.
- Provide a Tilted desk top (angle board) to help them to maintain an upright posture.
- Provide 'heavy work' activities during the day especially prior to handwriting tasks or those which require long periods of sitting. Examples: Cleaning the board, handing out books, pushing tasks, moving furniture, etc.
- Providing a fidget toy to keep their hands busy. To use at their desk so as not to distract other young person.
- Provide a 'move and sit' cushion which allows them to have the sensation of movement in a more appropriate and less distracting way for the classroom environment.(available from www.specialdirect.com or www.sissel.com)
- Assign active tasks to the young person who seeks movements such as handing out books, moving chairs, giving out art supplies.

Secondary School P.E. Strategies

General Activities that be adapted for any child

Activities

- Rolling on the floor or down a grassy hill.
- On a tyre, swing or a merry go round, a swivel chair can also be used. Alternatively sit the child on the floor and allow them to spin.
- Trikes, bikes and scooters, these help children improve their balance, motor planning and motor coordination.
- A sandy beach, a grassy meadow, a cushion surface are good things to use because they require the child to adjust their bodies as they move.
- A rocking horse, chair or gym (therapy) ball or space hopper provide a calming activity as well as an aid to organisation skills.
- Riding, balancing and walking on a see-saw helps them to organise their body when they move.

Proprioceptive system

Activities

- Carrying heavy objects helps the muscle tone and can be a calming activity.
- Helps build proprioceptive system by providing a resistance. This can also help as a calming activity.
- Using monkey bars helps stretch muscles and develop upper body strength.
- Place a lightweight on the child's back and get them to move.
- The pressure helps calm children; children can also self-administer this by wrapping their arms around themselves.
- 2 children sit on the floor together back to back and then try standing up together.
- These lessons are very useful to enable pupils with proprioceptive difficulties develop balance, body tone and to calm them. However they require over learning, so little and often is necessary.

Section C – Developing a sensory friendly school

Whole School Approach

The following provides information on general principles and strategies that support a whole school approach which are suitable for all children particularly those with sensory differences.

1. Advocate flexible teaching and learning i.e. taking account of auditory, kinaesthetic (inc. tactile) and visual learning styles.
2. Celebrate all learning whether within school or outside school so that children can excel in their own (sometimes narrow) interests.
3. Provide safe (quiet, comfortable) spaces in school for calming at all times. Difficulties can occur especially during playtimes, changes, times of less routine (i.e. Christmas).
4. Ensure that all relevant information is passed to the next teacher and/or school. Encourage the next teacher to visit your classroom to observe the child in situ.
5. Whole school ethos promoting such activities as:
 - Big moves
 - Smart moves
 - Brain Gym
 - Yoga
 - Motor control exercises
 - Multi-skills
 - Sensory circuits
6. Encourage extended out of hours activities (not always competitive)
 - I.e. Drama club
 - Football
 - Tai Kwando
 - Multi-skills
 - Dance
 - Music
7. Specific learning difficulties:
 - Dyslexia
 - Dyspraxia

A Good Practice Guide (Leicester City and Children Community Health Service).

8. Celebrate different recording/learning styles through school display, ICT, performances and tournaments.
9. Increase awareness of all staff to sensory difficulties. Ensure that all lunchtime staff understand the issues both during dinner breaks and in the playground. (Training and Education available through, Autism Outreach, (Leicestershire) Complex Learning, Communication and Interaction Team (City) Rutland or Occupational Therapy service - see Resources).

General Classroom Strategies

1. Check that the class environment meets needs of different children.
 - a. Have an area (if possible) where there is less sensory stimulus so that they can work at times without distraction and they don't distract others.
 - b. Have an area where they can go and calm down. These areas need to be separate from facilities used for isolation and exclusion. They should be seen as places of safety and(?) of clear visuals.
 - c. Clearly displayed.
 - Timetables (visual and interactive if possible), capable of being changed on a day to day basis.
 - Keywords/Topic vocabulary.
 - Clearly labelled areas and resources.
 - Clearly labelled expectations/rules and objectives.
 - d. Ensure odours are as neutral as possible.
 - e. Try and keep the temperature neither too hot or cold.
2. Consider splitting the lessons that involve a lot of sitting, for refocusing and calming through learning breaks.
3. Adapt lessons to take account of the social skills i.e.
 - Paired learning rather than a group
 - Staff modelling cooperative skills
 - Mix groups by social ability as well as learning styles.
4. Facilitate consistency in routines, rules and boundaries from all adults including supply teachers, lunchtime staff.
5. Plan transition times i.e.
 - Around class activities
 - Lesson to lesson (especially important in Secondary schools)
 - Playtime to classroom.
 - Children with sensory issues find change, crowds, noise and smells very difficult to cope with.

6. Have a range of resources at your disposal i.e.
 - a. Different size/colour/shapes of writing implements.
 - b. Different methods of recording.
 - c. Fiddling aids (blue tac, bands, squidgy balls)
 - d. Different resources for calming, extension, withdrawing.
7. Don't assume what makes us feel safe/happy is the same for all i.e.
 - a. Some children may find creative play/art / cooking/ textiles really challenging (tactile defensiveness).
 - b. Eating can be difficult for some children with tactile or odour defensiveness.
 - c. Crowded situations including lining up can be very difficult for children with sensory differences.
 - d. Playtimes are difficult for many children across a whole range of sensory issues.
 - e. PE, whilst very good for many children with sensory issues is also very difficult for them and may lead to them attempting to withdraw.
 - f. Art is a lovely activity, but can be very stressful for children who have motor control issues or who are visually or tactile defensive.
8. Ensure that you make opportunities available for friendships to flourish in the classroom, encourage paired working and or group working. Friendships develop in the classroom; the playground offers further opportunities to strengthen friendships but necessarily to foster them in the first instance.
9. The child is very likely to require extra supervision to stay on task.
10. Verbal instructions should be repeated. Ideally all instructions should be written so that they can be referenced as required. The use of STC symbols may be necessary if literacy levels are low.
11. Ensure the temperature is neither too hot nor too cold.
12. Ensure that the child is only required to write what is absolutely necessary, provide lesson notes rather than expect the child to copy from the board. Use alternative methods of recording, scribe/dictaphone/computer.
13. Allow sufficient breaks during the lesson to help refocus and to optimise learning opportunities.
14. Offer incentives to speed up a desirable behaviour. If you finish (a) then you can do (b). This gives the child a goal to work towards, the work in itself may not have any intrinsic value for the child.
15. After an incident has occurred allow the child sufficient time to calm down. When the child appears to be calm allow the child the opportunity to undo/or

redo a given behaviour. This helps the child to understand that it is possible to retrieve a situation. Opportunities should be given to help the child to understand why things went wrong on this occasion and strategies should be offered to show how to do it differently next time.

16. It may be useful to write a social story with the child. Social stories are mainly produced for children with autism but they can also be beneficial for other children. It is a simple method used to help a child understand what is expected of them in a given situation.



Jargon buster page

Sensory Integration - the process of our bodies making use of the information coming in and also a Theory of how all of this happens.

Sensory Integration Therapy - A detailed assessment and then specifically designed treatment sessions that can only be undertaken by therapists with master's level post graduate training and mentored practice.

Sensory Processing - a term to describe the fact that all 7 senses take in information, decide whether to acknowledge it and take the information to the brain and then the brain decides whether a response is needed. It is happening all of the time in all of us.

Tactile - our sense of touch. Our skin and inside our mouths. This gives us all the information about our world and also keeps us safe by picking up temperature and pain.

Olfactory - our sense of smell- both for protection but also memories and communication.

Gustatory - our sense of taste - developed for protection and hard to separate from smell.

Visual- our eyes and what we can see. Helps us with our fine motor coordination, our balance and movement.

Proprioception - all of our muscles, joints and ligaments give information about what they are doing and how they are positioned at every moment in time. It gives us our body map and body awareness and allows us to move and do all our daily activities.

Vestibular - our internal gyroscope. This tells us which way is up, whether we are moving and how fast, it helps us keep our eyes steady on an object whilst we are walking or running, it helps us sit up and stand up against gravity. It is our movement detector and also our security provider by connecting us to gravity.

MIN – Meeting Individual Needs - Leicester City publications for schools to meet the needs of pupils with SpLD including Dyspraxia/DCD, Autism.

Sensory Motor Development - how we learn new skills and gain our co-ordination for play, school and life skills. Our senses feed our brain and motivate us to move, to explore and to learn.

Motor Planning - the true definition means the brain having the concept or skills to come up with the idea about how to move the body to complete an activity, sometimes we confuse this with someone who can have the idea but their proprioception isn't effective so they are very un-coordinated.

Two-Sided Co-ordination - being able to do the same of different things with both sides of the body ie shoelaces, driving a car, using a knife and fork.

Central Nervous System - our brain, spinal cord and all of our nerves that go throughout our bodies.

Fidget Toys - an object that can be held in a pocket or hand and fiddled with or played with in order to allow the person to focus on someone talking, on the film being watched, on the conversation being had. It can be a way of keeping our alertness at an appropriate level so we can still attend and learn without having to fidget with our legs or body.

SLT (SALT) – Speech and Language Therapy.

OT – Occupational Therapy.

Further Support and Advice

Autism Outreach Service (Leicester County)

County Hall, Groby Road, Leicester
Tel: 0116 305 9400

SEND Support Services

New Parks House, Pindar Road, Leicester, LE3 9RN.

Team Complex Learning, Communication and Interaction Team and the Early Years Support Team

SEND Support Services
New Parks House, Pindar Road, Leicester, LE3 9RN
Tel: 0116 454 4650

Special Educational Needs Co-ordinators

May be able to support with the implementation of the strategies contained in this resource pack. Contact the SENCO for your school.

Health

Sensory Integration Therapy is currently not commissioned by LPT.

The Occupational Therapy Services in Leicestershire Partnership NHS Trust work with young people who may have a diagnosis e.g. autism, ADHD, Co-ordination disorders or may be displaying the signs of sensory processing differences. We currently offer parent education workshops to support the development of young people. Referrals can be made through our single access point.

Children's Occupational Therapy,

FYPC, Leicestershire Partnership NHS Trust
Bridge Park Plaza, Bridge Park Road, Thurmaston, Leicester, LE4 8PQ
Tel: 0116 295 2495

The Children's OT service work with children who primary have a physical health difficulties and provide occupational therapy assessment to establish their priority and strengths to provide advice or intervention to enable a young person to participate in everyday activities. The first intervention for this is where a child is suspected to have underlying sensory processing difficulties is frequently our 3 hour parent workshop. If following an 8 week consolidation period parents still have questions or concerns they may call in and a appropriately qualified OT will return the call.

Independent Occupational Therapists

A list of registered independent practitioners is available through College of Occupational Therapists and Sensory Integration Network.

Website: www.cot.org.uk

www.sinetwork.org.uk

Leicestershire Nutrition & Dietetic Service (LNDS), Leicestershire Partnership NHS Trust

OSL House
East Link
Meridian Business Park
Leicester LE19 1XU
Fax number 0116 2958940
Tel: 0116 2227170
Website: Inds.nhs.uk

If you have any concerns about a young person's nutritional status e.g. Poor weight gain, obesity or extreme dietary restriction, referrals can be made using

the LNDS Paediatric referral form from the LNDS website or through a single access referral.

Speech & Language Therapy Service

Speech and Language Therapists in Leicestershire Partnership NHS work with children and young people who have significant and complex speech, language and communication difficulties and where speech and language therapy will impact on improved outcomes for the child/young person. This may involve assessment, advising on the communication environment and working with individual young people and their families. Speech and language therapy programmes may be carried out by others within the child's environment including parents, school staff and support workers.

FYPC, Leicestershire Partnership NHS Trust
Bridge Park Plaza,
Bridge Park Road,
Thurmaston,
Leicester, LE4 8PQ
Tel: 0116 295 5256

Speech and Language Therapy Service Referral Guidelines for School Age Children:

<http://www.leicspart.nhs.uk/OurServicesAZSpeechandLanguageTherapy-ForChildrenandYoungPeople.aspx>

Speech and Language and Communication Needs MIN document (City Primary Schools): www.leicestercph.org.uk/main/FILE/402

Eating, Drinking and Swallowing

Where appropriate speech and language therapists work with children and young people to assess and develop swallowing skills, to ensure safe and effective eating and drinking. For example a referral may be appropriate if there is evidence of regular coughing, spluttering, and changes in breathing or gagging during meals, not related to a cough or cold. Please speak to a therapist if you have concerns.

Referrals

Following discussion with your local therapist and the child's family it may be necessary to make a referral to the service. Where appropriate, referrals may be made using the FYPCS referral form at www.leicspart.nhs.uk/fypcreferrals.

Education

Leicestershire County Council

Andrea Bennington
Advisory Teacher for Children in Physical Disabilities
Specialist Teaching Services
Leicester County Hall
Leicester

Phone: 01530 513600

Leicester City Council

Meeting Individual Needs (MIN) – Document available via the SENDSS, New Parks House, Pindar Road, Leicester, LE3 6DY for Leicester City Schools. Copies will be available via the Leicester City website in 2016

Leicester County

Psychology Service
Room 600
County Hall
Glenfield
Leicestershire
LE3 8RF

Phone: 0116 305 5184

Leicester City

Education Psychology Service
Collegiate House
College Street
Leicester
Le2 0JX

Phone: 0116 454 5470

Rutland

Education Psychology
Rutland County Council
Catmose
Oakham, Rutland
LE15 6HP

Phone: 01572 722577

Training

Children's Occupational Therapy Service

For Parents

The service offers a 3 hour workshop for parents of children who are referred to the service due to difficulties performing everyday activities. This is for parents only and is free of charge providing the referrer confirms the child has a significant difficulty in everyday tasks and not just behaviour.

Sensory Integration Network (UK and Ireland), Open to parents, educators, therapists and support workers.

Website: www.sensoryintegration.org.uk

Introduction to Sensory Integration (1 day)

Introduction to Sensory Processing (3 day)

www.lls.leicester.gov.uk

http://www.leics.gov.uk/index/education/going_to_school/special_education_needs/specialist_teaching_service/service_teams/autism_outreach_service/autism_resources.htm

Leicestershire Autism Outreach Service

www.leics.gov.uk/autism_outreach_service

Autism Education Trust

www.autismeducationtrust.org.uk

Additional Resources

Books

Carolyn Murray-Slutsky and Betty Paris (2004). Is it Sensory- Is it Behaviour?

Carol Kranowitz (2007). Out of synch child: Recognising and coping with Sensory processing Disorder

Carol Kranowitz (2006). The out of synch child has fun: Activities for kids with sensory processing difficulties

Ellen Yack, Paula Aquilla, Shirley Sutton (2003). Building bridges through sensory integration therapy for children with autism and other pervasive developmental disorders

A.VOSS Books (copy from references)

Steiner H (2010) This is Gabriel making sense of school. A book about sensory processing disorder. Trafford Publishing.

Organisations/Websites

The authors of this resource pack do not accept any responsibility for the information contained on these websites.

Sensory Processing Disorder Foundation

Website: www.spdfoundation.com

CanChild Centre for Childhood Disability Research

Website: www.canchild.ca

The Spiral Foundation

Website: www.thespiralfoundation.org

Finger Gym P. Wendy Allen

References

The following resources have been used in the development of this resource pack:

Beath, L., Park, L., 2010. *Making sense of sensory behaviour – A practical approach at home for parents and carers*. [pdf] Falkirk: Falkirk Council Social Work Services. Available at:

http://www.falkirk.gov.uk/services/social_work/children_and_family_services/support_for_children_affected_by_disabil/making_sense_of_sensory_behaviour.pdf

Bundy, A.C., Lane, S.J., Murray, E.A., 1991. *Sensory Integration Theory and Practice*. 2nd ed. Philadelphia: F.A. Davis Company.

Case-Smith, J., 2010. *Children and Occupational Therapy*. 6th ed. St. Louis, MO: Mosby.

Coventry and Warwickshire NHS Partnership Trust, 2013. *Children and Young Person's Occupational Therapy Service in Coventry*. [online] Available at:

www.covkidsot.co.uk

Cribbin, V., Lynch, H., Bagshaw, B. and Shadwick, K., eds., 2003. *Sensory Integration information booklet: a resource for parents and therapists*. Theale: Sensory Integration Network (UK and Ireland).

VOSS A (2011) understanding your child's sensory signals 2nd Ed. A sensorylife.com

VOSS A (2011) Your Essential Guide to understanding sensory processing disorder. 2nd Ed. A sensorylife.com

Somerset County Council – Sensory integration - Guidance for schools

Authors

Helen Thorpe

Clinical Lead for Children's Occupational Therapy, Leicester Partnership NHS Trust

Contributors

Lis Ward – Teacher, CLCI SENDSS (City)

Katheryn Hawker – Speech & Language Therapist, Leicestershire Partnership Trust

Stephanie Johnson – Parent Representative

Andrea Loveridge- Children's Occupational Therapist

Rebecca Pope – Children's Occupational Therapist

Maggie Brookes – CLCI (City)

George Thomas – Autism Outreach (County)

Kevin Baskerville – AOS Service Manager

David Philippides – AOS Teacher – Leicestershire

Anita Lad – Personal Assistant, Children's Therapy, LPT

Consultation

Emma Jordan – Dietician, Leicestershire Partnership Trust

Andrea Bennington

Sarah Knight - Eysenis

Anne Mathews – Senior Educational Psychologist